


0400-SC011-A00A00-1S01

Machine: TSUGAMI

Type: BW207 – BW208 – BE208Z – BW209Z

Emplacement, N°: Front gang tool post / Back gang tool post

Travail sur: Broche principale


Type de travail:  $n_{\max}$: 30'400 [rpm] i (n_i / n_o): 1 / 3.8

Attachement: ER 11

Sans refroidissement

Infos:

Couple max : 0.2 Nm

0400-SC011-A00A00-1S01

Machine: TSUGAMI

Type: BW207 – BW208 – BE208Z – BW209Z

Location, N°: Front gang tool post / Back gang tool post

Work on: Main spindle

Type of work: 

n_{max} : 30'400 [rpm]


i (n_i / n_o): 1 / 3.8

Attachement: ER 11


Without coolant

Infos:

Torque max: 0.2 Nm

0400-SC011-A00A00-1S01

Maschine: TSUGAMI
Typ: BW207 – BW208 – BE208Z – BW209Z
Position, N°: Front gang tool post / Back gang tool post
Arbeit über: Hauptspindel
Arbeitstyp: 
 $n_{\max}$: 30'400 [rpm]
 i (n_i / n_o): 1 / 3.8
Befestigung: ER 11
Ohne Kühlmittel
Infos:
Max. Drehmoment: 0.2 Nm

0400-SC011-A00A00-1S01

Macchina: TSUGAMI

Tipo: BW207 – BW208 – BE208Z – BW209Z

Posizione, N°: Front gang tool post / Back gang tool post

Lavoro al: Mandrino principale

Tipo di lavoro: 

n_{max} : 30'400 [rpm]

i (n_i / n_o): 1 / 3.8

Atacco: ER 11

Senza refrigerante

Informazioni:

Coppia max: 0,2 Nm