


**CDF1301-25**

Machine: CITIZEN Cincom

Type: M32-5M5/7/8

Emplacement, N°: Turret


Travail sur: Broche principale

Type de travail: 

Attachement: Ø 25 H7

Refroidissement : Externe

Pression maximale: 150 [bar]

**CDF1301-25**

Machine: CITIZEN Cincom

Type: M32-5M5/7/8

Location, N°: Turret


Work on: Main spindle

Type of work: 

Attachement: Ø 25.4 H7

Coolant: External

Maximum pressure: 150 [bar]

**CDF1301-25**

Machine: CITIZEN Cincom

Typ: M32-5M5/7/8

Position, N°: Turret


Arbeit über: Hauptspindel

Arbeitstyp: 

Befestigung: Ø 25.4 H7

Kühlmittel: Ausser

Maximaler Druck: 150 [bar]

**CDF1301-25**

Macchina: CITIZEN Cincom  
Tipo: M532  
Posizione, N°: Toretta, T20-T29  
Lavoro al: Mandrino principale / Contromandrino  
Tipo di lavoro:   
 $n_{max}$ : -  
 $i (n_i / n_o)$ : -  
Ataccamento: Ø 25.4 H7  
Refrigerante: Esterno  
Pressione massima: 150 [bar]