


E20-GSC-050

Machine: STAR MICRONICS

Type: SR20J

Emplacement, N°: Coulisse linéaire

Travail sur: Broche principale

Type de travail:  n_{max} : 8'000 [rpm] i (n_i / n_o): 1 / 1


Attachement: Arbre Ø5

Sans refroidissement

Pression maximale: _ [bar]

Infos:

E20-GSC-050



Machine: STAR MICRONICS

Type: SR20J

Location, N°: Gangtool

Work on: Main spindle

Type of work: 

n_{max} : 8'000 [rpm]

i (n_i / n_o): 1 / 1


Attachement: Arbor Ø 5

Without coolant

Maximum pressure: _ [bar]

Infos:

E20-GSC-050



Maschine: STAR MICRONICS

Typ: SR20J

Position, N°: Vertikalhalter

Arbeit über: Hauptspindel

Arbeitstyp: 

n_{max} : 8'000 [rpm]


i (n_i / n_o): 1 / 1

Befestigung: Welle Ø 5

Ohne Kühlmittel

Maximaler Druck: _ [bar]

Infos:

E20-GSC-050

Macchina: STAR MICRONICS

Tipo: SR20J

Posizione, N°: Slitta lineare

Lavoro al: Mandrino principale

Tipo di lavoro: n_{max}: 8'000 [rpm]i (n_i / n_o): 1 / 1

Ataccamento: Albero Ø 5

Senza refrigerante

Pressione massima: _ [bar]

Informazioni: