


GSC-1110-4X

Machine: CITIZEN Cincom

Type: L20 / L32 / M32 / A20 / A32

Emplacement, N°: Upper gang tool post / Back tool post (L32)

Travail sur: Broche principale / Broche de reprise (L32)

Type de travail:


n_{max}: 30'400 [rpm]i (n_i / n_o): 1 / 3.8

Attachement: ER8


Sans refroidissement

Infos:


Couple max : 0.2 Nm


GSC-1110-4X

Machine:	CITIZEN Cincom
Type:	L20 / L32 / M32 / A20 / A32
Location, N°:	Upper gang tool post / Back tool post (L32)
Work on:	Main spindle / Back spindle (L32)
Type of work:	
n_{max} :	30'400 [rpm]
$i (n_i / n_o)$:	1 / 3.8
Attachement:	ER 8
Without coolant	
Infos:	
Torque max:	0.2 Nm

GSC-1110-4X

Maschine:	CITIZEN Cincom
Typ:	L20 / L32 / M32 / A20 / A32
Position, N°:	Upper gang tool post / Back tool post (L32)
Arbeit über:	Hauptspindel / Abgreifspindel (L32)
Arbeitstyp:	
n_{max} :	30'400 [rpm]
i (n_i / n_o):	1 / 3.8
Befestigung:	ER 8
Ohne Kühlmittel	
Infos:	
Max. Drehmoment: 0.2 Nm	

GSC-1110-4X

Macchina:	CITIZEN Cincom
Tipo:	L20 / L32 / M32 / A20 / A32
Posizione, N°:	Upper gang tool post / Back tool post (L32)
Lavoro al:	Mandrino principale / Contromandrino (L32)
Tipo di lavoro:	
n_{max} :	30'400 [rpm]
i (n_i / n_o):	1 / 3.8
Atacco:	ER 8
Senza refrigerante	
Informazioni:	
Coppia max: 0.2 Nm	